



# 产品认证证书

证书编号：CQC19001234187

## 申请人名称及地址

南京安盛电子有限公司  
南京市六合区雄州街道方州路 699 号

## 制造商名称及地址

南京安盛电子有限公司  
南京市六合区雄州街道方州路 699 号

## 生产企业名称及地址

南京安盛电子有限公司 (V037075)  
南京市六合区雄州街道方州路 699 号

## 产品名称和系列、规格、型号

变压器

见附件

## 产品标准和技术要求

GB19212.1-2008; GB/T 19212.7-2012

## 认证模式

产品型式试验+获证后监督

上述产品符合 CQC11-461213-2015 认证规则的要求，特发此证。

发证日期：2019 年 12 月 13 日

本证书的有效性依据发证机构的定期监督获得保持。

主任：\_\_\_\_\_

陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

C 0189249



# PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19001234187

## NAME AND ADDRESS OF THE APPLICANT

Nanjing Ansen Electronics Co.,Ltd.  
699 Fangzhou Road; Xiongzhou Town Luhe District 211500 NANJING CITY Jiangsu CHINA

## NAME AND ADDRESS OF THE MANUFACTURER

Nanjing Ansen Electronics Co.,Ltd.  
699 Fangzhou Road; Xiongzhou Town Luhe District 211500 NANJING CITY Jiangsu CHINA

## NAME AND ADDRESS OF THE FACTORY

Nanjing Ansen Electronics Co.,Ltd. (V037075)  
699 Fangzhou Road; Xiongzhou Town Luhe District 211500 NANJING CITY Jiangsu CHINA

## PRODUCT NAME, MODEL AND SPECIFICATION

Safety isolating transformer  
See appendix

## THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19212.1-2008;GB/T 19212.7-2012

## TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-461213-2015 .

Valid from: Dec.13,2019

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body.

President: \_\_\_\_\_

Lu Mei



## CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China  
<http://www.cqc.com.cn>

C 0189249



# 产品认证证书

附录

第 1 页 共 1 页

证书编号: CQC19001234187

纸号: 189249

AS2006-E-0035-bbb-s 、 AS2010-E-0050-bbb-s 、 AS3005-E-0060-bbb-s 、  
AS3010-E-0150-bbb-s 、 AS3015-E-0200-bbb-s 、 AS3018-E-0230-bbb-s、  
AS3023-E-0280-bbb-s (bbb 代表输出电压, 由 0 到 9 的三个数字组合表示, 通过公式计算可读出输出电压  $bbb/10=bb.b$  V.s 可为 S 或 D, S 代表单输出绕组, D 代表双输出绕组)

输入规格为: 230 V~, 50 / 60 Hz,

型号	输入电压 (V)	输出电压 (V)	输出功率 (VA)	磁芯尺寸 (mm)
AS2006-E-0035-bbb-s	230	单输出绕组: 4-24	0.35VA	20*6.1
		双输出绕组: N/A		
AS2010-E-0050-bbb-s	230	单输出绕组: 4-24	0.5VA	20*10.5
		双输出绕组: N/A		
AS3005-E-0060-bbb-s	230	单输出绕组: 6-24	0.6VA	30*5
		双输出绕组: N/A		
AS3010-E-0150-bbb-s	230	单输出绕组: 6-24	1.5VA	30*10.5
		双输出绕组: 2*6-2*15		
AS3015-E-0200-bbb-s	230	单输出绕组: 6-24	2.0VA	30*15.5
		双输出绕组: 2*6-2*15		
AS3018-E-0230-bbb-s	230	单输出绕组: 6-24	2.3VA	30*18
		双输出绕组: 2*6-2*15		
AS3023-E-0280-bbb-s	230	单输出绕组: 6-24	2.8VA	30*23
		双输出绕组: 2*6-2*15		

仅适用于海拔 2000 米及以下, 绝缘耐热等级为 CLASS B

注: 此附录与证书同时使用时有效。

主任: 陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>